

# KYK PRODUCTS

What you drink makes you different



## **KYK 33000**

Alkaline water ionizer  
Filter Sensor and Filter Control System

## Contents

<b>FEATURES</b> .....	3
<b>BENEFITS</b> .....	8
<b>SPECIFICATION</b> .....	9
<b>PRICING</b> .....	10

## FEATURES

pH / ORP Level (Oxidation Reduction Potential) MV Level

pH Level and Water Liter Per Minute Displayed on LCD Screen



**pH Level be Shown in Seven Colors, Easily Recognizable**

**Each pH Level Displayed into Seven Different Colors**



**Auto-Detection Function for genuine or Imitation, and Re-used Filter Automatic Residual Display per Liter by Actual Usage**

**Filter Sensor and Filter Control System**



## Depending on the amount and the speed of a running of raw water into the product pH Auto-Control System



Automatic Cleansing and Water Drainage System of Stagnant Water from Filter and Electrolysis for more Sanitary

## Auto Cleansing and Water Drainage System after Usage







33000 - Alkaline Water Ionizer

ON/OFF and Feature buttons by one-touch Sensor

## Nine Types of Water: Four Alkaline Levels, Four Acidic Levels, One Purified Water




## Power-Control System by SMPS Method



### Using Platinized Titanium Electrode

## Patents on diaphragm Membrane Structure including Electrode Plate for the Electrolytic Cell of Water Ionizer

For Sanitary and convenience, Automatic cleansing after usage and water drainage system of stagnant water from the filter and electrolytic cell. This prevents the platinum of the titanium electrode plate inside the electrolytic cell from gilding with platinum.

## BENEFITS

**Water is Essential for our Body! Which Type of Water are You Drinking?**

### **KYK Alkaline Water Helps improving symptoms of Four Common Gastrointestinal Problems**



When you are having KYK alkaline water steadily including cooking, you will get the improvement symptoms of four major chronic stomach problems-chronic diarrhea, indigestion, intestinal dysbiosis and hyperacidity.



## SPECIFICATION

This product is connected directly to tap water and creates alkaline reduced water by first purifying the water with two special hybrid filters, then ionizing the water using 7 platinized titanium plates

Manufacturer Approval Code	No. 2213
Medical Device Approval Code	No. In-07-667
Product	Alkaline water ionizer
Model	KYK 33000
Manufacturing Company	KYK Co. Ltd. (440-407 Sangdaewon-Dong Joongwon-Gu, Sungnam City, Kyunggi-Do, Korea)
Manufacturing Number/Date	See the Backside of the Product
The object of Product	Alkaline Water Ionizer which can produce pH8.5 up to 10.0 alkaline ionic water by drinking water electrolysis to improve symptoms of chronic stomach problems-chronic diarrhea, indigestion, intestinal dysbiosis and hyperacidity
Standard Voltage and Frequency	220V AC / 60Hz
Electrical Consumption	180VA
Size / Weight	Size : 340(W)mm X 340(H)mm X 150(D)mm / Weight : 6kg
Composition / Water Supply Type	Stationary or wall-mounted / Direct connection to tap water
Controlling Method	Touch sensor
Available Water Pressure	3.0kgf/cm <sup>2</sup>
Electrolysis Method	Continuous electrolysis (Built-in water flow sensor)
Display(4-Digit FND method)	LED Display pH level and ORP level, 7 different colors of each level, water flow rate per minute, operation, filter usage(1st, 2nd, and 3rd), auto-diagnosis for error, water purification, and voice alert etc.

Output Capacity	2 litres per minute( $\pm 0.5$ L/min)
Electrolysis Ability	4 levels of acidic water, 4 levels of acidic water, filtered only water
Electrolysis Cell	7 plates – Patented platinum coated 99.99% Titanium electrode plates and the diaphragm
Max ORP	500 negative (- 500) mV
Electrode Sheet Wash	Automatic washing(Auto-wash after usage by mycom control system)
Filter Capacity	1st filter :Complex filter 6000 Ltr, 2nd filter: Complex filter 9000 Ltr
Indicate Filter Change	When the available usage amount has been reached to 70 Ltr
Filter change instructions	Filter Change (see the user manual)
Power Source Protector	Fuse
Over-current Detector	Automatically stops the output of electrolytic cells
Over Temperature Protector	Temperature detector circuit installed inside SMPS power supply automatically stops the device

## PRICING

MRP (per Unit)	INR 1,36,000 (inclusive of 18% GST)
-------------------	-------------------------------------